

| | | |
|--|-------------------------------|--|
| | CONDOR FOTO SAS | Revision nr. 1 |
| | DUST EFFECT Art. 01619 | Dated 06/04/2016 Printed on 07/04/2016 Page n. 1/9 |

Information Sheet

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

| | |
|--------------|-------------|
| Code: | 01619 |
| Product name | DUST EFFECT |
| EC number | 310-194-1 |
| CAS number | 1332-58-7 |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| | |
|--------------|--|
| Intended use | Most important uses: pottery, enamles, glass, fillers, paints, plastic and rubber, adhesives and sealants, buildig materials and concrete, fertilizers and farming products. |
|--------------|--|

1.3. Details of the supplier of the safety data sheet

| | |
|----------------------|------------------------|
| Name | CONDOR FOTO SAS |
| Full address | Via Prinetti, 32 |
| District and Country | 20127 Milano Italia |
| | Tel. 0039 02 26110946 |
| | Fax 0039 02 26147831 |

e-mail address of the competent person

| | |
|---------------------------------------|-----------------------|
| responsible for the Safety Data Sheet | condor@condor-foto.it |
|---------------------------------------|-----------------------|

1.4. Emergency telephone number

For urgent inquiries refer to

Company: 0039 02 26110946

SECTION 2. Hazards identification.

2.1. Classification of the substance or mixture.

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements).

Hazard classification and indication:

2.2. Label elements.

| | |
|--------------------|----|
| Hazard pictograms: | -- |
|--------------------|----|

| | |
|---------------|----|
| Signal words: | -- |
|---------------|----|

Hazard statements:

--

Precautionary statements:

--

| | | |
|--|-------------------------------|--|
| | CONDOR FOTO SAS | Revision nr. 1 |
| | DUST EFFECT Art. 01619 | Dated 06/04/2016 Printed on 07/04/2016 Page n. 2/9 |

This product is not subject to hazard labeling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

2.3. Other hazards.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

Depending on process or use (e.g. grinding, drying), respirable crystalline silica (quartz - cristobalite) may disperse in air. Prolonged and/or substantial inhalation of dust of respirable crystalline silica may cause pulmonary fibrosis, commonly called silicosis. Main symptoms of silicosis are cough and dyspnoea. Professional exposure to dust of respirable crystalline silica must be monitored and controlled.

SECTION 3. Composition/information on ingredients.

3.1. Substances.

Impurities: contains less than 1% of quartz (respirable).

3.2. Mixtures.

Information not relevant.

SECTION 4. First aid measures.

4.1. Description of first aid measures.

Not specifically necessary. Observance of good industrial hygiene is recommended.

4.2. Most important symptoms and effects, both acute and delayed.

No episodes of damage to health ascribable to the product have been reported.

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

SECTION 5. Firefighting measures.

5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

| | | |
|--|-------------------------------|--|
| | CONDOR FOTO SAS | Revision nr. 1 |
| | DUST EFFECT Art. 01619 | Dated 06/04/2016 Printed on 07/04/2016 Page n. 3/9 |

5.3. Advice for firefighters.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

Use breathing equipment if fumes or powders are released into the air. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up.

Confine using earth or inert material. Collect as much material as possible and eliminate the rest using jets of water. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

Do not sweep and use aspirator or spray water in order to avoid generation of dust dispersed in air.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use.

Avoid dispersion of dust in air. Use aspiration systems where dust may be dispersed in air.

7.2. Conditions for safe storage, including any incompatibilities.

Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details.

Reduce dust generation and pay attention to wind scattering dust during loading and unloading.

| | | |
|--|-------------------------------|--|
| | CONDOR FOTO SAS | Revision nr. 1 |
| | DUST EFFECT Art. 01619 | Dated 06/04/2016 Printed on 07/04/2016 Page n. 4/9 |

7.3. Specific end use(s).

Information not available.

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Regulatory References:

| | | |
|-----|----------------|-------------------------------------|
| GRB | United Kingdom | EH40/2005 Workplace exposure limits |
| | TLV-ACGIH | ACGIH 2014 |

KAOLIN

Threshold Limit Value.

| Type | Country | TWA/8h | | STEL/15min | |
|-----------|---------|--------|-----|------------|-----|
| | | mg/m3 | ppm | mg/m3 | ppm |
| WEL | GRB | 2 | | | |
| TLV-ACGIH | | 2 | | | |

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

During the risk assessment process, it is essential to take into consideration the ACGIH occupational exposure levels for inert particulate otherwise classified (PNOC respirable fraction: 3 mg/m3; PNOC inhalable fraction: 10 mg/m3). For values above these limits, use a P type filter, whose class (1, 2 or 3) must be chosen according to the outcome of risk assessment.

8.2. Exposure controls.

During the risk assessment process, it is essential to take into consideration the ACGIH occupational exposure levels for inert particulate otherwise classified (PNOC respirable fraction: 3 mg/m3; PNOC inhalable fraction: 10 mg/m3). For values above these limits, use a P type filter, whose class (1, 2 or 3) must be chosen according to the outcome of risk assessment.

Comply with the safety measures usually applied when handling chemical substances.

HAND PROTECTION

None required.

SKIN PROTECTION

None required.

EYE PROTECTION

None required.

RESPIRATORY PROTECTION

Use a type P filtering facemask (see standard EN 149) or equivalent device, whose class (1, 2 or 3) and effective need, must be defined according to the outcome of risk assessment.

ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with

| | | |
|--|-------------------------------|--|
| | CONDOR FOTO SAS | Revision nr. 1 |
| | DUST EFFECT Art. 01619 | Dated 06/04/2016 Printed on 07/04/2016 Page n. 5/9 |

environmental standards.

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

| | |
|--|----------------------------|
| Appearance | powder |
| Colour | Not available. |
| Odour | odourless |
| Odour threshold. | Not available. |
| pH. | 4,5 (400 g/l acqua a 20°C) |
| Melting point / freezing point. | > 1610 °C. |
| Initial boiling point. | Not available. |
| Boiling range. | Not available. |
| Flash point. | > 60 °C. |
| Evaporation Rate | N.A. |
| Flammability of solids and gases | Not available. |
| Lower inflammability limit. | Not available. |
| Upper inflammability limit. | Not available. |
| Lower explosive limit. | Not available. |
| Upper explosive limit. | Not available. |
| Vapour pressure. | Not available. |
| Vapour density | Not available. |
| Relative density. | 2,600 Kg/l |
| Solubility | insoluble in water |
| Partition coefficient: n-octanol/water | Not available. |
| Auto-ignition temperature. | Not available. |
| Decomposition temperature. | Not available. |
| Viscosity | Not available. |
| Explosive properties | Not explosive. |
| Oxidising properties | not applicable |

9.2. Other information.

| | |
|------------------------------|---|
| VOC (Directive 2010/75/EC) : | 0 |
| VOC (volatile carbon) : | 0 |

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

| | | |
|--|-------------------------------|--|
| | CONDOR FOTO SAS | Revision nr. 1 |
| | DUST EFFECT Art. 01619 | Dated 06/04/2016 Printed on 07/04/2016 Page n. 6/9 |

10.5. Incompatible materials.

Information not available.

10.6. Hazardous decomposition products.

Information not available.

SECTION 11. Toxicological information.

According to currently available data, this product has not yet produced health damages. Anyway, it must be handled according to good industrial practices.

11.1. Information on toxicological effects.

Information not available.

SECTION 12. Ecological information.

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity.

KAOLIN: Not pertinent.

12.2. Persistence and degradability.

KAOLIN: Not pertinent.

12.3. Bioaccumulative potential.

KAOLIN: Not pertinent.

12.4. Mobility in soil.

KAOLIN: negligible.

12.5. Results of PBT and vPvB assessment.

KAOLIN: according to Annex XIII of REACH, PBT and vPvB evaluation should not be performed for inorganic substances. It is not a substance defined PBT or vPvB.

12.6. Other adverse effects.

Information not available.

SECTION 13. Disposal considerations.

| | | |
|--|-------------------------------|--|
| | CONDOR FOTO SAS | Revision nr. 1 |
| | DUST EFFECT Art. 01619 | Dated 06/04/2016 Printed on 07/04/2016 Page n. 7/9 |

13.1. Waste treatment methods.

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Solid residues may be suitable for disposal in an authorised landfill site.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information.

14.1. UN number.

Not applicable.

14.2. UN proper shipping name.

Not applicable.

14.3. Transport hazard class(es).

Not applicable.

14.4. Packing group.

Not applicable.

14.5. Environmental hazards.

Not applicable.

14.6. Special precautions for user.

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code.

Information not relevant.

| | | |
|--|-------------------------------|--|
| | CONDOR FOTO SAS | Revision nr. 1 |
| | DUST EFFECT Art. 01619 | Dated 06/04/2016 Printed on 07/04/2016 Page n. 8/9 |

SECTION 15. Regulatory information.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

Seveso category. None.

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.

None.

Substances in Candidate List (Art. 59 REACH).

None.

Substances subject to authorisation (Annex XIV REACH).

None.

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None.

Substances subject to the Rotterdam Convention:

None.

Substances subject to the Stockholm Convention:

None.

Healthcare controls.

Information not available.

15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation

| | | |
|--|-------------------------------|--|
| | CONDOR FOTO SAS | Revision nr. 1 |
| | DUST EFFECT Art. 01619 | Dated 06/04/2016 Printed on 07/04/2016 Page n. 9/9 |

- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
 2. Regulation (EU) 1272/2008 (CLP) of the European Parliament
 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
 4. Regulation (EU) 2015/830 of the European Parliament
 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- The Merck Index. - 10th Edition
 - Handling Chemical Safety
 - INRS - Fiche Toxicologique (toxicological sheet)
 - Patty - Industrial Hygiene and Toxicology
 - N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
 - ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.